









# AP65 ALUMINIUM BALUSTRADE POST SYSTEM

## Base Fix – Full Height (Residential Applications)



- ▶ Up to 1200mm long post up to 1200mm high pool fence for 10mm toughened glass.
- ▶ Full Height Glass Option can accommodate Frameless Post Top Caps (View Handrail Section for further details)







Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP65 ALUMINIUM INTERMEDIATE POST (BASE FIX)</b>   <small>POST EXTRUSION</small>	500063	1000mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500292	1000mm (H)	MILL FINISH				
	500067	1200mm (H)	SILVER FROST				
	500300	1200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP65 ALUMINIUM END POST (BASE FIX)</b>   <small>POST EXTRUSION</small>	500062	1000mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500299	1000mm (H)	MILL FINISH				
	500066	1200mm (H)	SILVER FROST				
	500301	1200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				
CORNER POST							
<b>AP65 ALUMINIUM CORNER POST (BASE FIX)</b>  <small>CORNER POST EXTRUSION</small>	500070	1000mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500298	1000mm (H)	MILL FINISH				
	500072	1200mm (H)	SILVER FROST				
	500302	1200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 65mm	ON REQUEST: POWDERCOAT				

**NOTE:** Kits above are set up for 10mm glass, if specifying 13.2mm SAFELITE® EVA please advise at the time of order placement.

# AP65 ALUMINIUM BALUSTRADE POST SYSTEM

## Base Fix – Low Height (Residential Applications)

- ▶ Up to 1000mm long post up to 1250mm high pool fence for 10mm toughened glass.
- ▶ Low Height Glass Option can accommodate a Link Rail (View Handrail Section for further details)

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP65 ALUMINIUM INTERMEDIATE POST (BASE FIX)</b> 	500069	1050mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500304	1050mm (H)	MILL FINISH				
	500065	1250mm (H)	SILVER FROST				
	501165	1250mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP65 ALUMINIUM END POST (BASE FIX)</b> 	500068	1050mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500303	1050mm (H)	MILL FINISH				
	501166	1250mm (H)	SILVER FROST				
	500064	1250mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				
CORNER POST							
<b>AP65 ALUMINIUM CORNER POST (BASE FIX)</b> 	500073	1050mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500305	1050mm (H)	MILL FINISH				
	500071	1250mm (H)	SILVER FROST				
	500291	1250mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 65mm	ON REQUEST: POWDERCOAT				







**NOTE:** Kits above are set up for 10mm glass, if specifying 13.2mm SAFELITE® EVA please advise at the time of order placement.

# AP65 ALUMINIUM BALUSTRADE POST SYSTEM

## Side Fix – Full Height (Residential Applications)



- ▶ Up to 1400mm long post up to 1200mm high pool fence for 10mm toughened glass.
- ▶ Full Height Glass Option can accommodate Frameless Post Top Caps (View Handrail Section for further details)

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP65 ALUMINIUM INTERMEDIATE POST (SIDE FIX)</b>     <small>POST EXTRUSION</small>	500057	1000mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (SIDE FIX)	Internal & External 
	500309	1000mm (H)	MILL FINISH				
	500061	1200mm (H)	SILVER FROST				
	500311	1200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP65 ALUMINIUM END POST (SIDE FIX)</b>     <small>POST EXTRUSION</small>	500056	1000mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (SIDE FIX)	Internal & External 
	500308	1000mm (H)	MILL FINISH				
	500060	1200mm (H)	SILVER FROST				
	500310	1200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				





**NOTE:** Kits above are set up for 10mm glass, if specifying 13.2mm SAFELITE® EVA please advise at the time of order placement.

# AP65 ALUMINIUM BALUSTRADE POST SYSTEM

## Side Fix – Low Height (Residential Applications)



- ▶ Up to 1200mm long post up to 1250mm high pool fence for 10mm toughened glass.
- ▶ Low Height Glass Option can accommodate a Link Rail (View Handrail Section for further details)

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP65 ALUMINIUM INTERMEDIATE POST (SIDE FIX)</b>  	500055	1050mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (SIDE FIX)	Internal & External 
	500307	1050mm (H)	MILL FINISH				
	500059	1250mm (H)	SILVER FROST				
	501167	1250mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP65 ALUMINIUM END POST (SIDE FIX)</b>  	500054	1050mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (SIDE FIX)	Internal & External 
	501168	1050mm (H)	MILL FINISH				
	500058	1250mm (H)	SILVER FROST				
	501169	1250mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 10mm  65 x 45mm	ON REQUEST: POWDERCOAT				

**NOTE:** Kits above are set up for 10mm glass, if specifying 13.2mm SAFELITE® EVA please advise at the time of order placement.

# SEMI FRAMELESS POST COMPONENTS















## Base Plates, Glass Support Bracket, Aluminium Spacers, Gutter Brackets

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
<b>BASE PLATE TYPE 1</b> 	300064	110x90x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS	BALUSTRADE COMPONENT	Internal & External 
	300063	110x90x12mm	MILL FINISH				
		(4 Hole)					
<b>BASE PLATE TYPE 2</b> 	300060	110x100x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS	BALUSTRADE COMPONENT	Internal & External 
	300059	110x100x12mm	MILL FINISH				
		(4 Hole)					
<b>BASE PLATE TYPE 3</b> *For Steel Beams or Concrete Only 	300062	110x90x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS (STEEL BEAM OR CONCRETE)	BALUSTRADE COMPONENT	Internal & External 
	300061	110x90x12mm	MILL FINISH				
		(2 Hole)					
<b>BASE PLATE TYPE 4</b> *For AP65 Corner Posts Only 	300066	110x110x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS	BALUSTRADE COMPONENT	Internal & External 
	300065	110x110x12mm	MILL FINISH				
		(2 Hole)					
<b>GLASS SUPPORT BRACKET</b> 	300124	17x13x32mm	BLACK	PLASTIC	BRACKET	BALUSTRADE COMPONENT	Internal & External 
	301211	17x13x32mm	BLACK				
		Long Bracket Screws* *x2 Screws required per support bracket No8 x 16 SS PK Screws					
<b>GLAZING WEDGE</b> 	301843	3mm	BLACK	RUBBER/PVC	GLAZING WEDGE	BALUSTRADE COMPONENT	Internal & External 
<b>GLAZING D SEAL</b> 	301844	8Dx9.5mmW	BLACK	RUBBER/PVC	GLAZING D SEAL	BALUSTRADE COMPONENT	Internal & External 
<b>TOP CAP FULL HEIGHT POST</b> 	301560	66 x 46mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301559	66 x 46mm	MILL FINISH				
		(Component)					

NOTE: Base Plates need to be ordered in addition to Top mounted posts for Base Fix applications.

## SEMI FRAMELESS POST COMPONENTS











### Base Plates, Glass Support Bracket, Aluminium Spacers, Gutter Brackets

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
<b>TOP CAP FULL HEIGHT CORNER POST</b> 	301566	66 x 66mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301565	66 x 66mm	MILL FINISH				
		(Component)					
<b>TOP CAP INTERMEDIATE POSTS LOW HEIGHT</b> *Double Pocket 	301562	66 x 46mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301561	66 x 46mm	MILL FINISH				
		*Fits over intermediate post					
<b>TOP CAP END POSTS LOW HEIGHT</b> *Single Pocket 	301564	66 x 46mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301563	66 x 46mm	MILL FINISH				
		*Fits over end post RH / LH Symmetrical					
<b>TOP CAP CORNER POST FULL HEIGHT POST</b> 	301543	66 x 66mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301544	66 x 66mm	MILL FINISH				
<b>TOP CAP CORNER POST LOW HEIGHT</b> 	301541	66 x 66mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301524	66 x 66mm	MILL FINISH				
<b>GUTTER BRACKET</b> *Supplied with 8 high tensile post fixing screws 	300103	120 x 135mm	SILVER FROST	ALUM	BASE PLATE GUTTER BRACKET	BALUSTRADE COMPONENT	Internal & External 
	300104	120 x 135mm	MILL FINISH				
		(4 Hole)	ON REQUEST: POWDERCOAT				
<b>ALUMINIUM SPACER FOR FACE FIX ALUMINIUM FRAMELESS POST</b> 	301401	38(dia) x30mm	SILVER FROST	ALUM	ALUMINIUM POST SPACER	BALUSTRADE COMPONENT  (FACE FIX)	Internal & External 
	301402	38(dia) x30mm	MILL FINISH				
	301399	38(dia) x10mm	SILVER FROST				
	301400	38(dia) x10mm	MILL FINISH				
			ON REQUEST: POWDERCOAT				

**NOTE:** Base Plates need to be ordered in addition to Top mounted posts for Base Fix applications.

## SEMI FRAMELESS FIXING COMPONENTS

### Base and Side Fixings: Screws, Bolts, Threaded Rod, Glue, Anchor Fix










Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
<b>COACH SCREW / WASHER</b> 	500324	M10 x 160mm* (FACE FIX)	SS	316 STAINLESS STEEL	COACH SCREW / WASHER	FIXING COMPONENT FOR TIMBER	Internal & External 
	500325	M10 x 180mm* (BASE FIX)	SS				
		*20mm Diameter Washer included					
<b>HEX DYNABOLT ANCHOR</b> 	300525	100mm dia	SS	316 STAINLESS STEEL	DYNABOLT ANCHOR	FIXING COMPONENT FOR CONCRETE	Internal & External 
		*Fits over end post RH / LH Symmetrical					
<b>EPCON ANCHOR THREADED ROD / DOME NUT / WASHER</b> 	500260	M10 x 115mm (BASE FIX)	SS	316 STAINLESS STEEL	THREADED ROD / DOME NUT / WASHER	FIXING COMPONENT FOR CONCRETE	Internal & External 
	500261	M10 x 195mm (SIDE FIX)	SS				
	500262	M12 x 120mm (SIDE FIX)	SS				
<b>SIKA SUPERGRIP 2HOUR BOND</b> 	300006	310ml	ADHESIVE	CARTRIDGE	SUPER BOND	FIXING COMPONENT FOR TIMBER	Internal & External 
<b>SIKA MASONRY ANCHOR FIX</b> 	300004	300ml	ADHESIVE	CARTRIDGE	MASONRY ANCHOR FIX	FIXING COMPONENT	Internal & External 
		*Fits standard Cartridge Gun					

# AP78 ALUMINIUM BALUSTRADE POST SYSTEM

## Base Fix – Full Height (Residential Applications)



► Full Height Glass Option can accommodate Frameless Post Top Caps (View Handrail Section for further details)

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
AP78 ALUMINIUM INTERMEDIATE POST (BASE FIX)  	500330	1800mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500331	1800mm (H)	MILL FINISH				
	500332	2200mm (H)	SILVER FROST				
	500333	2200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  78 x 54mm	ON REQUEST: POWDERCOAT				
END POST							
AP78 ALUMINIUM END POST (BASE FIX)  	500338	1800mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500339	1800mm (H)	MILL FINISH				
	500340	2200mm (H)	SILVER FROST				
	500341	2200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  78 x 54mm	ON REQUEST: POWDERCOAT				
CORNER POST							
AP65 ALUMINIUM CORNER POST (BASE FIX)  	500070	1000mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500298	1000mm (H)	MILL FINISH				
	500072	1200mm (H)	SILVER FROST				
	500302	1200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  65 x 65mm	ON REQUEST: POWDERCOAT				

**NOTE:** Kits above are set up for 12mm glass, if specifying 15mm TEMPAFLOAT® or 13.2mm SAFELITE® EVA please advise at the time of order placement.









# AP78 ALUMINIUM BALUSTRADE POST SYSTEM

## Base Fix – Low Height (Residential Applications)



► Low Height Glass Option can accommodate a Link Rail (View Handrail Section for further details)







Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP78 ALUMINIUM INTERMEDIATE POST (BASE FIX)</b> 	500326	1400mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500327	1400mm (H)	MILL FINISH				
	500328	1600mm (H)	SILVER FROST				
	500329	1600mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  78 x 45mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP78 ALUMINIUM END POST (BASE FIX)</b> 	500334	1400mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500335	1400mm (H)	MILL FINISH				
	500336	1600mm (H)	SILVER FROST				
	500337	1600mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  78 x 45mm	ON REQUEST: POWDERCOAT				
CORNER POST							
<b>AP65 ALUMINIUM CORNER POST (BASE FIX)</b> 	500073	1050mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (BASE FIX)  *Base plate and top cap to be specified, not included in kit	Internal & External 
	500305	1050mm (H)	MILL FINISH				
	500071	1250mm (H)	SILVER FROST				
	500291	1250mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  65 x 65mm	ON REQUEST: POWDERCOAT				

**NOTE:** Kits above are set up for 12mm glass, if specifying 15mm TEMPAFLOAT® or 13.2mm SAFELITE® EVA please advise at the time of order placement.

# AP78 ALUMINIUM BALUSTRADE POST SYSTEM

## Side Fix – Full Height (Residential Applications)

► Full Height Glass Option can accommodate Frameless Post Top Caps (View Handrail Section for further details)

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP78 ALUMINIUM INTERMEDIATE POST (SIDE FIX)</b>  	500346	1800mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (SIDE FIX)	Internal & External 
	500347	1800mm (H)	MILL FINISH				
	500348	2200mm (H)	SILVER FROST				
	500349	2200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  78 x 45mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP78 ALUMINIUM END POST (SIDE FIX)</b>  	500354	1800mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM  (SIDE FIX)	Internal & External 
	500355	1800mm (H)	MILL FINISH				
	500356	2200mm (H)	SILVER FROST				
	500357	2200mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm  78 x 45mm	ON REQUEST: POWDERCOAT				





**NOTE:** Kits above are set up for 12mm glass, if specifying 15mm TEMPAFLOAT® or 13.2mm SAFELITE® EVA please advise at the time of order placement.

# AP78 ALUMINIUM BALUSTRADE POST SYSTEM

## Side Fix – Low Height (Residential Applications)



► Low Height Glass Option can accommodate a Link Rail (View Handrail Section for further details)

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
INTERMEDIATE POST							
<b>AP78 ALUMINIUM INTERMEDIATE POST (FACE FIX)</b> 	500342	1400mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM (FACE FIX)	Internal & External 
	500343	1400mm (H)	MILL FINISH				
	500344	1600mm (H)	SILVER FROST				
	500345	1600mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm 78 x 54mm	ON REQUEST: POWDERCOAT				
END POST							
<b>AP78 ALUMINIUM END POST (FACE FIX)</b> 	500350	1400mm (H)	SILVER FROST	ALUM	ALUMINIUM POST	BALUSTRADE SYSTEM (FACE FIX)	Internal & External 
	500351	1400mm (H)	MILL FINISH				
	500352	1600mm (H)	SILVER FROST				
	500353	1600mm (H)	MILL FINISH				
		SETUP FOR GLASS THICKNESS OF 12mm 78 x 54mm	ON REQUEST: POWDERCOAT				

**NOTE:** Kits above are set up for 12mm glass, if specifying 15mm TEMPAFLOAT® please advise at the time of order placement.

## SEMI FRAMELESS POSTS COMPONENTS

### Base Plates, Glass Support Bracket, Aluminium Spacers, Gutter Brackets




Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
<b>BASE PLATE TYPE 4</b> *For AP65 Corner Posts Only 	300066	110x110x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS	BALUSTRADE COMPONENT	Internal & External 
	300065	110x110x12mm	MILL FINISH				
		(2 Hole)					
<b>BASE PLATE TYPE 5</b> *For Steel Beams or Concrete Only 	300048	150x100x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS	BALUSTRADE COMPONENT	Internal & External 
	300047	150x100x12mm	MILL FINISH				
		(2 Hole)					
<b>BASE PLATE TYPE 6</b> *For Timber Only 	300050	125x125x12mm	SILVER FROST	ALUM	FOR BASE FIX ALUMINIUM POSTS	BALUSTRADE COMPONENT	Internal & External 
	300049	125x125x12mm	MILL FINISH				
		(4 Hole)					
<b>GLASS SUPPORT BRACKET</b> 	300124	17x13x32mm	BLACK	PLASTIC	BRACKET	BALUSTRADE COMPONENT	Internal & External 
	301211	17x13x32mm	BLACK				
		Long Bracket Screws* *x2 Screws required per support bracket No8 x 16 SS PK Screws					
<b>GLAZING WEDGE</b> 	301843	3mm	BLACK	RUBBER/PVC	GLAZING WEDGE	BALUSTRADE COMPONENT	Internal & External 
<b>GLAZING D SEAL</b> 	301844	8Dx9.5mmW	BLACK	RUBBER/PVC	GLAZING D SEAL	BALUSTRADE COMPONENT	Internal & External 
<b>TOP CAP FULL HEIGHT POST</b> 	301556	78 x 54mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301555	78 x 54mm	MILL FINISH				
		(Component)					
<b>TOP CAP FULL HEIGHT CORNER POST</b> 	301566	66 x 66mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External 
	301565	66 x 66mm	MILL FINISH				
		(Component)					

**NOTE:** Base Plates need to be ordered in addition to Top Mounted Posts for Base Fix applications.

## SEMI FRAMELESS POSTS COMPONENTS

### Base Plates, Glass Support Bracket, Aluminium Spacers, Gutter Brackets













Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
<b>TOP CAP INTERMEDIATE POSTS LOW HEIGHT</b> *Double Pocket 	301554	78 x 54mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External
	301553	78 x 54mm	MILL FINISH				
		*Fits over intermediate post					
<b>TOP CAP END POSTS LOW HEIGHT</b> *Single Pocket 	301807	78 x 54mm	SILVER FROST	ALUM	TOP CAP	BALUSTRADE COMPONENT	Internal & External
	301806	78 x 54mm	MILL FINISH				
		*Fits over end post RH / LH Symmetrical					
<b>ALUMINIUM SPACER FOR FACE FIX ALUMINIUM FRAMELESS POST</b> 	301401	38(dia) x30mm	SILVER FROST	ALUM	ALUMINIUM POST SPACER	BALUSTRADE COMPONENT  (FACE FIX)	Internal & External
	301402	38(dia) x30mm	MILL FINISH				
	301399	38(dia) x10mm	SILVER FROST				
	301400	38(dia) x10mm	MILL FINISH				
			ON REQUEST: POWDERCOAT				

**NOTE:** Base Plates need to be ordered in addition to Top Mounted Posts for Base Fix applications.

## SEMI FRAMELESS FIXING COMPONENTS

### Face and Base Fixings: Screws, Bolts, Threaded Rod, Glue, Anchor Fix

Product	Model	Sizes mm	Finish	Grade	Type	Application	Area
<b>COACH SCREW / WASHER</b> 	500324	M10 x 160mm* (FACE FIX)	SS	316 STAINLESS STEEL	COACH SCREW / WASHER	FIXING COMPONENT FOR TIMBER	Internal & External 
	500325	M10 x 180mm* (BASE FIX)	SS				
		*20mm Diameter Washer included					
<b>HEX DYNABOLT ANCHOR</b> 	300525	100mm dia	SS	316 STAINLESS STEEL	DYNABOLT ANCHOR	FIXING COMPONENT FOR CONCRETE	Internal & External 
		*Fits over end post RH / LH Symmetrical					
<b>EPCON ANCHOR THREADED ROD / DOME NUT / WASHER</b> 	500260	M10 x 115mm (BASE FIX)	SS	316 STAINLESS STEEL	THREADED ROD / DOME NUT / WASHER	FIXING COMPONENT FOR CONCRETE	Internal & External 
	500261	M10 x 195mm (SIDE FIX)	SS				
	500262	M12 x 120mm (SIDE FIX)	SS				
<b>SIKA SUPERGRIP 2HOUR BOND</b> 	300006	310ml	ADHESIVE	CARTRIDGE	SUPER BOND	FIXING COMPONENT FOR TIMBER	Internal & External 
<b>SIKA MASONRY ANCHOR FIX</b> 	300004	300ml	ADHESIVE	CARTRIDGE	MASONRY ANCHOR FIX	FIXING COMPONENT	Internal & External 
		*Fits standard Cartridge Gun					